



STÁTNÍ ZDRAVOTNÍ ÚSTAV

Tularémie - eu "case" definice

TULARAEMIA

(*Francisella tularensis*)

Clinical Criteria

Any person with at least one of the following clinical forms:

- *Ulceroglandular tularaemia*
- Cutaneous ulcer

AND

- Regional lymphadenopathy

- *Glandular tularaemia*

- Enlarged and painful lymph nodes without apparent ulcer

- *Oculoglandular tularaemia*

- Conjunctivitis

AND

- Regional lymphadenopathy

- *Oropharyngeal tularaemia*

- Cervical lymphadenopathy

AND at least one of the following three:

- Stomatitis
- Pharyngitis
- Tonsillitis

- *Intestinal tularaemia*

At least one of the following three:

- Abdominal pain
- Vomiting
- Diarrhoea

- *Pneumonic tularaemia*

- Pneumonia

- *Typhoidal tularaemia*



At least one of the following two:

- Fever without early localising signs and symptoms
- Septicaemia

Laboratory Criteria

At least one of the following three:

- Isolation of *Francisella tularensis* from a clinical specimen
- Detection of *Francisella tularensis* nucleic acid in a clinical specimen
- *Francisella tularensis* specific antibody response

Epidemiological Criteria

At least one of the following three epidemiological links:

- Exposure to a common source
- Animal to human transmission
- Exposure to contaminated food / drinking water

Case Classification

A. Possible case NA

B. Probable case

Any person meeting the clinical criteria and with an epidemiological link

C. Confirmed case

Any person meeting the clinical and the laboratory criteria